

## Sour Diesel (HD)

Sample ID: HR20260390492  
Matrix: Plant  
Type: Flower - Cured  
Sample Size; Batch: 5 g  
Strain: Sour Diesel (HD)

Produced:  
Collected: 03/11/2026  
Received: 03/11/2026  
Completed: 03/17/2026  
Batch#: HD25ASDFHTMB021226



### Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	03/13/2026	Complete
Moisture	03/13/2026	12.83%

### Cannabinoids

Complete

<b>15.82%</b>	<b>ND</b>	<b>16.13%</b>
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD		LOQ		Result	
	mg/g	mg/g	mg/g	%	mg/g	mg/g
THCa	0.01500	0.10000	0.10000	17.70	176.99	
Δ9-THC	0.00800	0.10000	0.10000	0.29	2.94	
Δ8-THC	0.02000	0.10000	0.10000	ND	ND	
THCV	0.00600	0.10000	0.10000	ND	ND	
CBDa	0.00200	0.10000	0.10000	ND	ND	
CBD	0.00400	0.10000	0.10000	ND	ND	
CBN	0.00800	0.10000	0.10000	ND	ND	
CBGa	0.29000	0.88000	0.88000	0.36	3.60	
CBG	0.00500	0.10000	0.10000	ND	ND	
CBC	0.02000	0.10000	0.10000	ND	ND	
Total THC				15.82	158.16	
Total CBD				ND	ND	
Total				16.13	161.32	
Sum of Cannabinoids				18.35	183.53	

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.

*Ming Li*  
Ming Li - General Manager  
03/17/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.