

PharmLabs San Diego Certificate of Analysis



Sample Rize 8000mg Melon Pop 4pc Tabs

Delta9 THC ND    THCa ND    Total THC (THCa \* 0.877 + THC) ND    Delta8 THC ND

Sample ID: SD251103-015 (128509)    Matrix: Edible  
 Tested for: Rize of Hope    Reported: Nov 09, 2025  
 Sampled:    Received: Nov 08, 2025    Num. of Servings: 4    Serving Size (g): 0.48  
 Analyses executed: 4AD, TRX, PSY, FP-ND    Unit Mass (g): 1.92

CANx - Cannabinoids

Analyzed Nov 04, 2025 | Instrument: HPLC-VWD | Method: SOP-001  
 The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.8% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
9-Hydroxy-Δ <sup>8</sup> -Tetrahydrocannabinol (9-Hydroxy-THC)	0.010	0.041	ND	ND	ND	ND	
Cannabinol (CBN)	0.006	0.02	ND	ND	ND	ND	
Abnormal Cannabinol (a-CBN)	0.010	0.039	ND	ND	ND	ND	
(+/-)-9B-Hydroxy-Hexahydrocannabinol (9B-HHC)	0.005	0.045	ND	ND	ND	ND	
9-Hydroxy-Δ <sup>8</sup> -Tetrahydrocannabinol (9-Hydroxy-THC)	0.005	0.045	ND	ND	ND	ND	
Cannabinolic Acid (CBDA)	0.033	0.16	ND	ND	ND	ND	
Cannabigerol Acid (CBGA)	0.033	0.16	ND	ND	ND	ND	
Cannabigerol (CBG)	0.048	0.16	ND	ND	ND	ND	
Cannabinol (CBD)	0.069	0.229	ND	ND	ND	ND	
Δ <sup>8</sup> -Tetrahydrocannabinol (Δ <sup>8</sup> -THC)	0.005	0.026	ND	ND	ND	ND	
Δ <sup>8</sup> -Tetrahydrocannabinol (Δ <sup>8</sup> -THC)	0.006	0.049	ND	ND	ND	ND	
Tetrahydrocannabinol (THC)	0.049	0.162	ND	ND	ND	ND	
Δ <sup>9</sup> -Tetrahydrocannabinol (Δ <sup>9</sup> -THC)	0.02	0.096	ND	ND	ND	ND	
Cannabinol (CBN)	0.004	0.042	ND	ND	ND	ND	
Tetrahydrocannabinol (Δ <sup>9</sup> -THC)	0.01	0.029	ND	ND	ND	ND	
Cannabinol (CBN)	0.047	0.16	ND	ND	ND	ND	
Cannabiphoral (CBP)	0.06	0.49	ND	ND	ND	ND	
iso-THC (iso-THC)	0.026	0.8	ND	ND	ND	ND	
Tetrahydrocannabinol (Δ <sup>9</sup> -THC)	0.022	0.37	ND	ND	ND	ND	
Δ <sup>8</sup> -Tetrahydrocannabinol (Δ <sup>8</sup> -THC)	0.044	0.16	ND	ND	ND	ND	
(6aR,10a)-Δ <sup>8</sup> -Tetrahydrocannabinol ((6aR,10a)-Δ <sup>8</sup> -THC)	0.005	0.8	ND	ND	ND	ND	
Hexahydrocannabinol (Δ <sup>8</sup> isomer) (9a-HHC)	0.007	0.8	ND	ND	ND	ND	
(6aR,9S)-Δ <sup>8</sup> -Tetrahydrocannabinol ((6aR,9S)-Δ <sup>8</sup> -THC)	0.007	0.8	ND	ND	ND	ND	
Hexahydrocannabinol (TH isomer) (9b-HHC)	0.006	0.8	ND	ND	ND	ND	
Tetrahydrocannabinolic Acid (THCA)	0.117	0.399	ND	ND	ND	ND	
Δ <sup>9</sup> -Tetrahydrocannabinol (Δ <sup>9</sup> -THC)	0.03	0.061	ND	ND	ND	ND	
Cannabinol Acetate (CBNA)	0.009	0.027	ND	ND	ND	ND	
9S-Hexahydrocannabinolic Acid (9S-HHCA)	0.045	0.065	ND	ND	ND	ND	
9T-Hexahydrocannabinolic Acid (9T-HHCA)	0.19	0.196	ND	ND	ND	ND	
Δ <sup>9</sup> -Tetrahydrocannabinol (Δ <sup>9</sup> -THC)	0.007	0.8	ND	ND	ND	ND	
Δ <sup>8</sup> -Tetrahydrocannabinol (Δ <sup>8</sup> -THC)	0.041	0.8	ND	ND	ND	ND	
Cannabinol (CBN)	0.005	0.16	ND	ND	ND	ND	
Δ <sup>9</sup> -THC-O-acetate (Δ <sup>9</sup> -THCO)	0.076	0.8	ND	ND	ND	ND	
9S-HHCP (Δ <sup>9</sup> -HHCP)	0.010	0.041	ND	ND	ND	ND	
Δ <sup>9</sup> -THC-O-acetate (Δ <sup>9</sup> -THCO)	0.066	0.8	ND	ND	ND	ND	
9R-HHCP (Δ <sup>9</sup> -HHCP)	0.005	0.045	ND	ND	ND	ND	
9S-HHC-O-acetate (Δ <sup>9</sup> -HHCO)	0.037	0.12	ND	ND	ND	ND	
9R-HHC-O-acetate (Δ <sup>9</sup> -HHCO)	0.031	0.065	ND	ND	ND	ND	
3-acetyl-Δ <sup>8</sup> -Tetrahydrocannabinol (Δ <sup>8</sup> -THC-CE)	0.021	0.062	ND	ND	ND	ND	
Total THC (THCa * 0.877 + Δ <sup>9</sup> THC)			ND	ND	ND	ND	
Total THC + Δ <sup>8</sup> THC + Δ <sup>8</sup> BHHC (THCa * 0.877 + Δ <sup>9</sup> THC + Δ <sup>8</sup> THC + Δ <sup>8</sup> BHHC)			ND	ND	ND	ND	
Total CBD (CBDA * 0.877 + CBD)			ND	ND	ND	ND	
Total CBG (CBGA * 0.877 + CBG)			ND	ND	ND	ND	
Total HHC (9a-HHC + 9b-HHC)			ND	ND	ND	ND	
Total Cannabinoids Analyzed			ND	ND	ND	ND	

4AD - 4AD Tryptamines

Analyzed Nov 18, 2025 | Instrument: HPLC-VWD | Method: SOP-001  
 The expanded Uncertainty of the 4AD Tryptamines analysis is approximately ±7.8% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Mescaline (MESCL)	0.19	0.584	ND	ND	ND	ND
Ni-methyl Tryptamine (NMT)	0.004	0.015	ND	ND	ND	ND
4-Hydroxy-MET (4-HO-MET)	0.015	0.04	ND	ND	ND	ND
γ-N-Dimethyltryptamine (DMT)	0.005	0.048	ND	ND	ND	ND
Pelletsin (PILA)	0.015	0.044	ND	ND	ND	ND
4-Hydroxy-DET (4-HO-DET)	0.014	0.042	6.23	62.32	29.91	119.65
4-Acetoxy-MET (4-AcO-MET)	0.018	0.065	ND	ND	ND	ND
4-Acetoxy-DET (4-AcO-DET)	0.004	0.011	ND	ND	ND	ND
4-Bromo-DMP (2C-B)	0.19	0.576	ND	ND	ND	ND
Total Analyzed	-	-	6.23	62.32	29.91	119.65

U: Unidentified  
 ND: Not Detected  
 N/A: Not Applicable  
 NT: Not Reported  
 LOD: Limit of Detection  
 LOQ: Limit of Quantification  
 CL: CLS Detected  
 MAU: Above upper limit of linearity  
 CFU/g: Colony Forming Units per 1 gram  
 TTC: Test Numerical to Count



DEA license: #P067043  
 ISO/IEC 17025:2017 Acc. #5568



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Stahl*

Brandon Stahl, Quality Assurance Manager  
 WED, 11 Nov 2025 14:39:47 -0800



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92101 | 619.356.8998 | ISO/IEC 17025:2017 Acc. #5568

PharmLabs San Diego and its parent company, PharmWare, are committed to providing accurate and reliable analytical results for our customers. We are ISO/IEC 17025:2017 certified, which is a global standard for testing laboratories. This certification is a testament to our commitment to quality and accuracy. We are also a member of the International Union of Pure and Applied Chemistry (IUPAC) and the International Union of Pure and Applied Physics (IUPAP). We are proud to be a part of the scientific community and to provide our services to a wide range of industries. We are committed to providing our customers with the highest quality of service and to maintaining the highest standards of accuracy and reliability. We are also committed to providing our customers with the most up-to-date information and to responding to their needs in a timely and efficient manner. We are proud to be a part of the scientific community and to provide our services to a wide range of industries. We are committed to providing our customers with the highest quality of service and to maintaining the highest standards of accuracy and reliability. We are also committed to providing our customers with the most up-to-date information and to responding to their needs in a timely and efficient manner.